

Accuracy made easy

SlideMate™ AS Slide Printer




How Does It Work?

- Data is sent from the LIS or scanned from the histology cassette to generate a barcode and slide identifier
- Templates can be customized
- Slides are printed using the intuitive software

Slide Delivery System

- The optional Slide Delivery System is designed to hold 72 slides to reduce handling
- Epredia SlideMate slides can be loaded using optimized packaging







Printing with SlideMate AS is easy as...







SlideMate AS On-Demand Slide Printer

Accurate Identification

• On-demand slide printing at the microtome can increase accuracy as patient identification is maintained

Efficiency

 The SlideMate AS is designed to print slides within 5 seconds, enhancing workflow at the microtome

Connectivity

 SlideMate AS has the option of being connected to other computers as well as LIS or LIMS using a Windows® driver

Workflow Enhacement

- SlideMate AS may be used for barcoding slides within the workflow which allows for additional applications of automated archiving and digital pathology
- With its small footprint, the SlideMate AS slide printer fits directly next to your microtome

The essential partner to your microtome



Optional slide hopper allows for quicker and easier on-demand printing of slides. Slides can automatically feed from the hopper.

Visit **www.epredia.com** to learn about SlideMate Pro dual hopper on-demand slide printer.



SlideMate AS Printer Ordering Information		
Systems On	rder Number	
SlideMate AS Basic Printer SlideMate AS basic printer with color touchscreen, power supply, power cord and Windows® Printer Driver software to print externally generated slide label from an image file	A83900001	
SlideMate AS Basic Printing System SlideMate AS basic printer with slide delivery system, color touchscreen, power supply, power cord and Windows® Printer Driver software to print externally generated slide label from an image file	A83900002	
SlideMate AS On-Demand Printer SlideMate AS on-demand printer with color touch-screen, built-in scanner, power supply, power cord and advanced software enabling label creation, special panel printing and import from LIS	A83900004	
SlideMate AS On-Demand Printing System SlideMate AS on-demand printer with slide delivery system, color touch-screen, built-in scanner, power supply, power cord and advanced software enabling label creation, special panel printing and import from LIS	A83900005	
Accesories	Cat. Number	
Thermal transfer ribbon	A83910001	
Slide delivery system	A83910002	
Spare slide hopper for SlideMate AS slide delivery system	A83920016	

SlideMate AS Printer Specifications		
Dimensions: SlideMate AS printer		
DxWXH	230 x 122 x 290 mm	
	9.1 x 4.8 x 11.5 in	
Dimensions: SlideMate AS printer with slide delivery system and hopper		
DxWXH	230 x 122 x 470 mm	
	9.1 x 4.8 x 18.5 in	
Printer Weight	4 kg, 9.5 lbs	
Power requirements:	Universal 100 – 240 VAC,	
	50 - 60 Hz, 1.2A Max.	
Slide type	25 mm x 75 mm x 1mm	
	or 1 in x 3 in	
Print speed	Up to 9 slides per minute	
	with slide delivery system	
	Up to 12 slides per minute	
	with manual feed	
Media type	Thermal transfer ribbon	
Media capacity	1 roll, approximately 12,000	
	slides per roll	
Media color	Black	
Connectivity	Ethernet, USB-A (2), USB-B (1)	

SlideMate slides and SlideMate PLUS adhesion slides from Epredia

A83910005

A83910009

A83910008

Gateway software (1 unit)

Head cleaning kit

Multi-Gateway software (up to 10 units)

Experience crisp, clean printing with SlideMate microscope slides, designed for the SlideMate AS and Slidemate Pro printers.

SlideMate	Cat. Number
White	TT-4041I-8217-001
Blue	TT-5041I-8217-001
Green	TT-6041I-8217-001
Pink	TT-7041I-8217-001
Yellow	TT-8041I-8217-001

SlideMate PLUS	Cat. Number
White	TT-4041I-PS-8218-1
Blue	TT-5041I-PS-8218-1
Green	TT-6041I-PS-8218-1
Pink	TT-7041I-PS-8218-1
Yellow	TT-8041I-PS-8218-1



Find out more at epredia.com

